



XL A-FRAMES



Our patented High Wind Harness holds our roof panels securely and outperforms any other A-frame wind kit.



Our A-frame campers provide eight generous feet of headspace. Feel free to stand tall with Chalet.



Lightweight construction and collapsible design allow for fuel efficiency, easy towing, and convenient storage.



Keeping campers and wild life safe, campgrounds assign sites based on camper type, our hard sided campers allow access to more remote sites.



High quality vacuum bonded sidewalls and roofs help keep our campers comfortable, regardless of what's happening outside



Optional hard sided dormers keep campers comfortable and provide 80" of head space. With our dormer, there's no canvas to dry out or replace.



Spend more time enjoying the outdoors. Set up and take down our A-frames in less than thirty seconds.



The XL line comes standard with our patented Power Lift System. No heavy overhead lifting and no push poles. Set up and take down with the push of a button.



Our A-frame campers are built on powder coated steel frames, providing a sturdy foundation and years of rust protection.



Our unique, high quality vacuum bonded flooring with insulated laminate is lightweight and rot resistant.

30 Second Set up



Hand Crafted

In The Heart Of Oregon


WWW.CHALETINC.COM

124 41st Ave SE Albany OR 97322

541.791.4610

XL 1920

1995 lbs 18'7"




Opt. Expanding Hard sided dormer



The XL 1920 A-frame trailer provides ample sleep or storage space with the addition of a bunk bed to the standard features of our XL line such as 8' of headroom, bathroom with optional shower, and residential height counter tops. With our convertible queen size dinette and bunk bed, the 1920 comfortably sleeps 4 adults. The XL line of trailers provides easy set up with our Patented Electronic Roof Lift System. Optional Wet Bath (cassette toilet and shower) and Dormer are also available

XL 1930

1995 lbs 18'7"




Opt. Expanding Hard sided dormer



The XL 1930 A-frame trailer is our most popular XL trailer, offering a permanent queen bed, under bed storage, eight feet of headroom, and residential height countertops. The XL line of trailers maintains the essence of an A-frame trailer, a self contained folding trailer with large storage, low maintenance, easy towing, and quick set up with our Patented Electronic Roof Lift System. Optional Wet Bath (cassette toilet and shower) and Dormer are also available

XL 1935

2165 lbs 18'7"



Std. Expanding Hard sided dormer



The XL 1935 A-frame trailer offers the most floor space of any Chalet model, and comes standard with a large hard sided dormer and significant counter space and storage. A permanent queen bed is built into this unit, and dinette converts to allow sleeping space for 3 adults. Standard features expanding hard sided dormer, and quick set up with our patented Electronic Roof Lift System. Optional wet bath is available with cassette toilet and shower.



Standard Features

Construction / Chassis

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|---|-----|--------|-----------|---------|---------|---------|
| One Year Limited Structural Warranty | S | S | S | S | S | S |
| Patented Ergonomic Manual Lift System | S | S | S | - | - | - |
| Patented Electronic Power Lift System | - | - | - | S | S | S |
| Patent High Wind Harness System | S | S | S | S | S | S |
| High Sidewalls (38") | S | S | S | - | - | - |
| High Sidewalls (42") | - | - | - | S | S | S |
| Fully Insulated Composite Walls and Roof | S | S | S | S | S | S |
| Fully Insulated Composite Floor | S | S | S | S | S | S |
| Powder Coated Boxed Frame and Bumper | S | S | S | S | S | S |
| Electric Brakes | S | S | S | S | S | S |
| Break-Away Switch | S | S | S | S | S | S |
| Spare Tire Mounted Below Chassis | S | S | S | S | S | S |
| Folding Entry Step | S | S | S | S | S | S |
| 4 Stabilizer Jacks and Sand Pads (2 on LTW) | S | S | S | S | S | S |

Exterior

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|---|-----|--------|-----------|---------|---------|---------|
| Ice Grey Fiberglass Exterior | S | S | S | S | S | S |
| Panoramic Windows | S | S | S | S | S | S |
| Smoked Safety Glass Windows | S | S | S | S | S | S |
| Front and Rear Skylights (Rear only on LTW) | S | S | S | S | S | S |
| Dormer with Large Window | - | - | - | O | O | S |
| LED Porch Light and Utility Docking lights | S | S | S | S | S | S |
| LED Light Hitch Side | S | S | S | S | S | S |
| Black Mod Wheels (13") | S | S | S | - | - | - |
| Aluminum Wheels (14") | - | - | - | S | S | S |
| Diamond Plate Rock Guard | S | S | S | S | S | S |
| Insulated & Keyed Compartment Door(s) | S | S | S | S | S | S |
| Porta Potty Access Door | S | S | S | S | S | S |
| Exterior Graphics | S | S | S | S | S | S |

Interior

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|--|-----|--------|-----------|---------|---------|---------|
| Durable Wood Grain Vinyl Flooring | S | S | S | S | S | S |
| Coordinating Interior Décor | S | S | S | S | S | S |
| Hardwood Cabinet Doors | S | S | S | S | S | S |
| Single Bowl Stainless Steel Sink | S | S | S | - | - | - |
| Double Bowl Stainless Steel Sink | - | - | - | S | S | S |
| Folding Swivel Faucet | S | S | S | - | - | - |
| Deluxe Chrome Folding swivel Faucet | O | O | O | S | S | S |
| Portable Table with Folding Legs | S | S | S | S | S | S |
| 6" Innerspring Mattress with Duvet Cover | - | - | - | - | - | - |

Appliances&Equipment

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|-------------------------------------|-----|--------|-----------|---------|---------|---------|
| 3.0 cubic foot 3-way Refrigerator | S | S | S | S | S | S |
| 2 Burner Cooktop with Cover | S | S | S | - | - | - |
| 3 Burner Cooktop with Cover | - | O | O | S | S | S |
| 16K BTU Furnace | S | S | S | S | S | S |
| 3-Speed (Reversible) Fantastic Fan | S | S | S | S | S | S |
| AM/FM, CD/DVD Player with Bluetooth | S | S | S | S | S | S |
| Opening Roof Vent | S | S | S | S | S | S |
| Dual 20 Gallon LP Tanks | S | S | S | S | S | S |

Fresh Water System

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|-----------------------------|-----|--------|-----------|---------|---------|---------|
| 12 Volt Electric Water Pump | S | S | S | S | S | S |
| 15 Gallon Fresh Water Tank | S | S | S | S | S | S |

Electrical

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|-----------------------------------|-----|--------|-----------|---------|---------|---------|
| 35 Amp Converter | S | S | S | S | S | S |
| 12 volt and T.V. Cable Outlet | S | S | S | S | S | S |
| Interior Lighting | S | S | S | S | S | S |
| Interior and Exterior GFI Outlets | S | S | S | S | S | S |

Safety

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|--|-----|--------|-----------|---------|---------|---------|
| Carbon Monoxide, LPG, and Smoke Alarms | S | S | S | S | S | S |
| Fire Extinguisher | S | S | S | S | S | S |

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|--|-----|--------|-----------|---------|---------|---------|
| Durable Wood Grain Vinyl Flooring | S | S | S | S | S | S |
| Coordinating Interior Décor | S | S | S | S | S | S |
| Hardwood Cabinet Doors | S | S | S | S | S | S |
| Single Bowl Stainless Steel Sink | S | S | S | - | - | - |
| Double Bowl Stainless Steel Sink | - | - | - | S | S | S |
| Folding Swivel Faucet | S | S | S | - | - | - |
| Deluxe Chrome Folding swivel Faucet | O | O | O | S | S | S |
| Portable Table with Folding Legs | S | S | S | S | S | S |
| 6" Innerspring Mattress with Duvet Cover | - | - | - | - | - | - |
| 3.0 cubic foot 3-way Refrigerator | S | S | S | S | S | S |
| 2 Burner Cooktop with Cover | S | S | S | - | - | - |
| 3 Burner Cooktop with Cover | - | O | O | S | S | S |
| 16K BTU Furnace | S | S | S | S | S | S |
| 3-Speed (Reversible) Fantastic Fan | S | S | S | S | S | S |
| AM/FM, CD/DVD Player with Bluetooth | S | S | S | S | S | S |
| Opening Roof Vent | S | S | S | S | S | S |
| Dual 20 Gallon LP Tanks | S | S | S | S | S | S |
| 12 Volt Electric Water Pump | S | S | S | S | S | S |
| 15 Gallon Fresh Water Tank | S | S | S | S | S | S |
| 35 Amp Converter | S | S | S | S | S | S |
| 12 volt and T.V. Cable Outlet | S | S | S | S | S | S |
| Interior Lighting | S | S | S | S | S | S |
| Interior and Exterior GFI Outlets | S | S | S | S | S | S |
| Carbon Monoxide, LPG, and Smoke Alarms | S | S | S | S | S | S |
| Fire Extinguisher | S | S | S | S | S | S |

Options

| | LTW | Alpine | Arrowhead | XL 1920 | XL 1930 | XL 1935 |
|---|-----|--------|-----------|---------|---------|---------|
| AC 11,500 BTU Ducted Cool Cat w/ Heat Pump | - | O | O | O | O | O |
| AC 8,000 BTU | O | O | O | O | O | O |
| Wet Bath Package (Shower, Cassette Toilet, 20 Gal GreyTank, DSI Water Heater, Outside Shower) | - | - | - | O | O | O |
| Water Heater (6 Gal DSI) + Outside Shower | O | O | O | O | O | O |
| Permanent Rear Bed 52"x76", Easy Access Storage | - | - | O | - | S | S |
| Front Rugged Roto-Molded Cargo Box | O | O | O | - | - | - |
| CSA Compliance Package | O | O | O | O | O | O |
| Expanding Front Hard Sided Dormer | - | - | - | O | O | O |
| Dormer Skylight 21" x 62" | - | - | - | O | O | S |
| Enclosed Cassette Toilet Room | - | - | - | O | O | O |
| Propane With External BBQ Quick Disconnect | O | O | O | O | O | O |
| Receiver, Rear 2" (Bolt On) | O | O | O | O | O | O |
| Solar, 80 Watt Panel, Portable | O | O | O | O | O | O |
| Speakers, Outdoor (2) | O | O | O | O | O | O |
| Trail Boss Package* | O | O | O | - | - | - |
| Wheels, Aluminum | O | O | O | S | S | S |

Specifications

| | LTW | Classic | XL Series |
|--------------------------------|--------------|------------|-------------|
| Exterior Length | 12' 9" | 15' 6" | 18'7" |
| Exterior Width | 81.75" | 81.75" | 86.75" |
| Exterior Length + Storage Box | 14' 6" | 17' 3" | N/A |
| Inside Width x Length | 76" x 105.5" | 76" x 132" | 80" x 168" |
| Travel Height | 65" | 66" | 73"*** |
| Height After Set Up | 118.5" | 125" | 131" |
| Inside Height After Set Up | 94" | 101.5" | 103.5" |
| Rear Bed Dimensions | 52" x 76" | 52" x 76" | 60" x 80" |
| Front Bed Dimensions | 25" x 76" | 40" x 76" | 46"x 80"*** |
| Axle Dry Weight | 1012 lbs | 1232 lbs | 1755 lbs |
| Hitch Dry Weight | 138 lbs | 168 lbs | 240 lbs |
| Total Dry Weight | 1300 lbs | 1585 lbs | 1995 lbs** |
| Load Capacity | 700 lbs | 1415 lbs | 1500 lbs |
| GVWR | 2000 Lbs | 3000 lbs | 3500 lbs |
| Tire Size | 13" | 13" | 14" |
| Hitch Ball Height | 18" | 19" | 21" |
| Hitch Ball Height (Trail Boss) | 22" | 23" | N/A |

*Trailboss : 14" rims, Off Road Tires, 4" raised suspension and spare tire

**XL1935 No Front Bed, Dry Hitch Weight 370, Axle Dry Weight 2165 lbs



WWW.CHALETING.COM